

SAP DESCRIPTION:  
 MTL DBL 200504 S A08 BFC DC SOL DC NGR


SKU No. 71910-006305

Maximum Flow Rate: 75 m<sup>3</sup>/h

Inlet Pressure: 8 Bar


Sheet Size:  
 A4

Scale:  
 1:20



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED

Designed By	Barga	15/02/2017
Drawn By	Barga	06 Feb 2018
Checked By		
QA		
Sheet: 1	Of: 3	Rev. -



SAP DESCRIPTION:

MTL DBL 200504 S A08 BFC DC SOL DC NGR

SKU No.

71910-006305

Maximum Flow Rate: 75 m<sup>3</sup>/h


Inlet Pressure: 8 Bar

Sheet Size:

A4

Scale:

1:25



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED

Designed By: Barga 15/02/2017


Drawn By: Barga 06 Feb 2018

Checked By:

QA

Sheet: 2 Of: 3 Rev. -

ITEM NO.	SAP Description	SAP Cat. No.	QTY.
1	METAL DBL.CHA. 20"*2" VIC PHENOL PN10	71910-001509	5
2	METAL MAN 4"*3 OUT*2" VIC F/20" TANK	71910-001715	2
3	METAL MAN 4"*2 OUT*2" VIC F/20" TANK	71910-001706	2
4	METAL BF MAN 3"*3 OUT*2" VIC F/20" TANK	71910-001714	1
5	METAL BF MAN 3"*2 OUT*2" VIC F/20" TANK	71910-001705	1
6	METAL TRANSITION 4" ANSI FLANGE*VIC	71910-002006	2
7	METAL TRANSITION 3" ANSI FLANGE*VIC	71910-002003	1
8	MET CUP 4"VIC W/2 OUT 2"NPT+1 OUT 1"NPT	71910-001800	2
9	METAL CUP 3" VIC	71910-001791	1
10	METAL NIPPLE 3"*200MM VIC/VIC+(3/4" NPT)	71910-008981	1
11	D 52 B.F. VALVE PLASTIC 2*2 ANGLE BSP	71600-006515	5
12	D 100 CI G 3" FRV VIC PP 3W-29310(082)	71600-052300	1
13	GALVA. SHORT NIPPLE 2	78200-016500	5
14	VICTAULIC COUPLING 2" ONE BOLT	71910-002500	15
15	VICTAULIC COUPLING 3" ONE BOLT	71910-002501	5
16	VICTAULIC COUPLING 4" ONE BOLT	71910-002502	6
17	Control stand + controller + Aquative bracket		1
18	CONTROL KIT FOR MEDIA FILTER - NPT	37090-009610	1
19	L.P. Check point (part of control kit)		1
20	NAVc 10 1" COMBINATION AV PN10 NPT	32600-002750	1
21	SUPPORT LEG 4"-100MM	71910-001899	3
22	SUPPORT LEG 4"-1000MM	71910-001906	1
23	SUPPORT LEG 3"-800MM	71910-001890	1



SAP DESCRIPTION:  
MTL DBL 200504 S A08 BFC DC SOL DC NGR


SKU No. 71910-006305

Maximum Flow Rate: 75 m<sup>3</sup>/h

Inlet Pressure: 8 Bar

Sheet Size:  
A4

Scale:  
1:20



**NETAFIM™**

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED

Designed By	Barga	15/02/2017
Drawn By	Barga	06 Feb 2018
Checked By		
QA		
Sheet: 3	Of: 3	Rev. -