

SAP DESCRIPTION:

MTL DBL 240504 S A08 BFC DC SOL DC NGR

SKU No.

71910-003304

Maximum Flow Rate: 110 m³/h


Inlet Pressure: 8 Bar

Sheet Size:

A4

Scale:

1:20



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED


Designed By	Barga	15/02/2017
-------------	-------	------------

Drawn By	Barga	15/02/2017
----------	-------	------------

Checked By		
------------	--	--

QA		
----	--	--

Sheet: 1	Of: 3	Rev. -
----------	-------	--------



SAP DESCRIPTION:
 MTL DBL 240504 S A08 BFC DC SOL DC NGR


SKU No. 71910-003304

Maximum Flow Rate: 110 m³/h

Inlet Pressure: 8 Bar

Sheet Size:
 A4


Scale:
 1:20



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED

Designed By	Barga	15/02/2017
Drawn By	Barga	15/02/2017
Checked By		
QA		
Sheet: 2	Of: 3	Rev. -

ITEM NO.	SAP Description	SAP Cat. No.	QTY.
1	METAL DBL.CHA. 24"*2" VIC PHENOL PN8	71910-001515	5
2	METAL MAN 4"*3 OUT*2" VIC F/24" TANK	71910-001717	2
3	METAL MAN 4"*2 OUT*2" VIC F/24" TANK	71910-001708	2
4	METAL BF MAN 3"*3 OUT*2" VIC F/24" TANK	71910-001716	1
5	METAL BF MAN 3"*2 OUT*2" VIC F/24" TANK	71910-001707	1
6	METAL TRANSITION 4" ANSI FLANGE*VIC	71910-002006	2
7	METAL TRANSITION 3" ANSI FLANGE*VIC	71910-002003	1
8	MET CUP 4"VIC W/2 OUT 2"NPT+1 OUT 1"NPT	71910-001800	2
9	METAL CUP 3" VIC	71910-001791	1
10	METAL NIPPLE 3"*200MM VIC/VIC+(3/4" NPT)	71910-008981	1
11	NET METAL B.F VALVE 2X2 ANGLE VIC	71600-006656	5
12	D 100 CI G 3" FRV VIC PP 3W-29310(082)	71600-052300	1
13	VICTAULIC COUPLING 2" ONE BOLT	71910-002500	20
14	VICTAULIC COUPLING 3" ONE BOLT	71910-002501	5
15	VICTAULIC COUPLING 4" ONE BOLT	71910-002502	6
16	Control stand + controller + Aquative bracket		1
17	CONTROL KIT FOR MEDIA FILTER - NPT	37090-009610	1
18	L.P. Check point (part of control kit)		1
19	NAVc 10 1" COMBINATION AV PN10 NPT	32600-002750	1
20	SUPPORT LEG 4"-1000MM	71910-001906	1
21	SUPPORT LEG 3"-800MM	71910-001890	1
22	SUPPORT LEG 4"-100MM	71910-001899	3



SAP DESCRIPTION:
MTL DBL 240504 S A08 BFC DC SOL DC NGR


SKU No. 71910-003304

Maximum Flow Rate: 110 m³/h

Inlet Pressure: 8 Bar

Sheet Size:
A4

Scale:
1:20



NETAFIM™

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED

Designed By	Barga	15/02/2017
Drawn By	Barga	15/02/2017
Checked By		
QA		
Sheet: 3	Of: 3	Rev. -