



# License No. 7421 to mark a commodity with the Standards Mark

The Standards Institution of Israel (SII), in accordance with the powers vested in it by article 11(b) of the Standards law 1953, hereby grants permission to:

## NETAFIM LTD.

Postal Service, Hefer ,Magal ,Israel

to place the Standards Mark on the commodities covered by the standard:  
**Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods**

(list of types attached)

**These commodities are produced in conformity with the requirements of the  
Israel Standard No. 1642 Edition May 2005**

This license has been granted subject to the terms of the Standards Regulation (standard mark and supervision sign) 1982, and the terms that the License Committee has determined, which constitute an integral part of this license. This license does not detract from any obligation, or other order, imposed by law on the abovementioned commodities

This certificate remains the property of SII. Its continued validity may be verified via scanning the barcode or via the SII website [www.sii.org.il](http://www.sii.org.il).

### **This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

**Factory: NETAFIM LTD.**

**Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods**

### Models:

1. TYPHOON PLUS HT 16080  
NOM. FLOW 0.80, 1.10, 1.65, 2.70 L/HR  
CATEGORY A, ONE-SEASON
2. TYPHOON PLUS HT 16100  
NOM. FLOW 0.80, 1.10, 1.60, 2.70 L/HR  
CATEGORY A, MULTI-SEASON
3. TYPHOON PLUS HT 16125  
NOM. FLOW 0.80, 1.10, 1.60, 2.70 L/HR  
CATEGORY A, MULTI-SEASON
4. TYPHOON PLUS HT 16150  
60M. FLOW 0.80, 1.05, 1.65, 2.70 L/HR  
CATEGORY A, MULTI-SEASON
5. TYPHOON PLUS HT 22080  
NOM. FLOW 0.80, 1.10, 1.65, 2.70 L/HR  
CATEGORY A, ONE-SEASON
6. TYPHOON PLUS HT 22100  
NOM. FLOW 0.80, 1.10, 1.65, 2.70 L/HR  
CATEGORY A, MULTI-SEASON

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

**Factory: NETAFIM LTD.**

**Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods**

7. TYPHOON PLUS HT 22135  
NOM. FLOW 0.80, 1.05, 1.65, 2.70 L/HR  
CATEGORY A, MULTI-SEASON
8. TYPHOON PLUS HT 22150  
NOM. FLOW 0.80, 1.05, 1.65, 2.70 L/HR  
CATEGORY A, MULTI-SEASON
9. TYPHOON PLUS HT 25135  
NOM. FLOW 0.80, 1.05, 1.65, 2.70 L/HR  
CATEGORY A, MULTI-SEASON
10. TYPHOON PLUS HT 25150  
NOM. FLOW 0.80, 1.05, 1.65, 2.70 L/HR  
CATEGORY A, MULTI-SEASON
11. STREAMLINE 16 - NOM. FLOW 2.1 L/HR
12. STREAMLINE 40 - NOM. FLOW 0.72,1.05,1.60,2.1 L/HR  
CATEGORY A, ONE-SEASON
13. STREAMLINE 60 - NOM. FLOW 0.72,1.05,1.60,2.1 L/HR  
CATEGORY A, ONE-SEASON

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

**Factory: NETAFIM LTD.**

**Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods**

14. STREAMLINE 80 - NOM. FLOW 0.72,1.05,1.60,2.1 L/HR  
CATEGORY A, ONE-SEASON
15. STREAMLINE 100 - NOM. FLOW 0.72,1.05,1.60,2.1 L/HR  
CATEGORY A, MULTI-SEASON
16. STREAMLINE 125 - NOM. FLOW 0.72,1.05,1.60,2.1 L/HR  
CATEGORY A, MULTI-SEASON
17. STREAMLINE 150 - NOM. FLOW 0.72,1.05,1.60,2.1 L/HR  
CATEGORY A, MULTI-SEASON
18. MICRO-DRIP - NOM. FLOW 1.90 L/HR CATEGORY A,  
MULTI-SEASON
19. LANDLINE - NOM. FLOW 1.90 L/HR CATEGORY A,  
MULTI-SEASON
20. DRIPLINE 2012 - NOM. FLOW 1.20, 1.90, 2.90 L/HR  
CATEGORY A, MULTI-SEASON
21. DRIPLINE 2012/L - NOM. FLOW 1.20, 1.90, 2.90 L/HR.  
CATEGORY A, MULTI-SEASON
22. DRIPLINE 2000 - NOM. FLOW 1.30, 2.00, 3.00 L/HR.  
CATEGORY A, MULTI-SEASON

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

Factory: NETAFIM LTD.

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

23. DRIPLINE 2025 - NOM. FLOW 1.20, 1.80, 2.90 L/HR  
CATEGORY A, MULTI-SEASON
24. Streamline Plus 12 mm. W.T 0.15 mm. (6 mil)  
Flow Rate 0.80 , 1.10, 1.60 , 2.20, 2.80 l/h.  
Non reusable
25. Streamline Plus 12 mm. W.T 0.20 mm. (8 mil)  
Flow Rate 0.80 , 1.10, 1.60 , 2.20, 2.80 l/h  
Non reusable
26. Streamline Plus 16 mm. W.T 0.14 mm. (5.5 mil)  
Flow Rate 0.80 , 1.10, 1.60 , 2.20, 2.80 l/h.  
Non reusable
27. Streamline Plus 16 mm. W.T 0.15 mm. (6 mil)  
Flow Rate 0.80 , 1.10, 1.60 , 2.20, 2.80 l/h.  
Non reusable
28. Streamline Plus 16 mm. W.T 0.20 mm. (8 mil)  
Flow Rate 0.72 , 1.05, 1.60 , 2.10, 2.80 l/h.  
Non reusable

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

Factory: NETAFIM LTD.

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

29. Streamline Plus 16 mm. W.T 0.25 mm.(10 mil)  
Flow Rate 0.72 , 1.05, 1.60 , 2.10, 2.80 l/h.  
Reusable
30. Streamline Plus 16 mm. W.T 0.31 mm.(12.5 mil)  
Flow Rate 0.72 , 1.05, 1.60 , 2.10, 2.80 l/h.  
Reusable
31. Streamline Plus 16 mm. W.T 0.38 mm.(15 mil)  
Flow Rate 0.72 , 1.05, 1.60 , 2.10, 2.80 l/h.  
Non reusable
32. Streamline Plus 22 mm. W.T 0.15 mm.(6 mil)  
Flow Rate 0.80 , 1.20, 1.60 , 2.20, 2.80 mil  
Non reusable
33. Streamline Plus 22 mm. W.T 0.18 mm. (7 mil)  
Flow Rate 0.80 , 1.20, 1.60 , 2.20, 2.80 mil  
Non reusable
34. Streamline Plus 22 mm. W.T 0.20 mm.(8 mil)  
Flow Rate 0.8 , 1.20, 1.60 , 2.20, 2.80 mil  
Reusable

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

**Factory: NETAFIM LTD.**

**Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods**

35. TYPHOON PLUS 12  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.20 mm W.T(8 mil)
36. TYPHOON PLUS 12  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.25 mm W.T(10 mil)
37. TYPHOON PLUS 12  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.31 mm W.T(12.5 mil)
38. TYPHOON PLUS 12  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.34 mm W.T(13.5 mil)
39. TYPHOON PLUS 12  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.38 mm W.T(15 mil)
40. TYPHOON PLUS 16  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.20 mm W.T(8.00 mil)

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

**Factory: NETAFIM LTD.**

**Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods**

41. TYPHOON PLUS 16  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.25 mm W.T(10.0 mil)
42. TYPHOON PLUS 16  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.31 mm W.T(12.5 mil)
43. TYPHOON PLUS 16  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.34 mm W.T(13.5 mil)
44. TYPHOON PLUS 16  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.38 mm W.T(15.0 mil)
45. TYPHOON PLUS 22  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.20 mm W.T(8.00 mil)
46. TYPHOON PLUS 22  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.25 mm W.T(10.0 mil)

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO







## Annex A: License No. 7421

Factory: NETAFIM LTD.

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

47. TYPHOON PLUS 22  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.31 mm W.T(12.5 mil)
48. TYPHOON PLUS 22  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.34 mm W.T(13.5 mil)
49. TYPHOON PLUS 22  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.38 mm W.T(15.0 mil)
50. TYPHOON PLUS 25  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.20 mm W.T(8.00 mil)
51. TYPHOON PLUS 25  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.25 mm W.T(10.0 mil)
52. TYPHOON PLUS 25  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.31 mm W.T(12.5 mil)

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

Factory: NETAFIM LTD.

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

53. TYPHOON PLUS 25  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.34 mm W.T(13.5 mil)
54. TYPHOON PLUS 25  
Flow Rate 0.50, 0.70, 1.00, 1.60, 2.20 l/h  
W.T 0.38 mm W.T(15.0 mil)
55. STREAMLINE X 12 mm.  
Flow Rate 0.80, 1.10, 1.60, 2.20, 2.80 l/h  
W.T 0.15 mm W.T 6 mil
56. STREAMLINE X 12 mm.  
Flow Rate 0.72, 1.05, 1.60, 2.20, 2.80 l/h  
W.T 0.20 mm W.T 8 mil
57. STREAMLINE X 16 mm.  
Flow Rate 0.80, 1.10, 1.60, 2.20, 2.80 l/h  
W.T 0.13 mm W.T 5 mil
58. STREAMLINE X 16 mm.  
Flow Rate 0.80, 1.10, 1.60, 2.20, 2.80 l/h  
W.T 0.15 mm W.T 6 mil

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO





## Annex A: License No. 7421

**Factory: NETAFIM LTD.**

**Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods**

59. STREAMLINE X 16 mm.  
Flow Rate 0.72, 1.05, 1.60, 2.20, 2.80 l/h  
W.T 0.20 mm W.T 8 mil
60. STREAMLINE X 22 mm.  
Flow Rate 0.80, 1.10, 1.60, 2.20, 2.80 l/h  
W.T 0.12 mm W.T 4.5 mil
61. STREAMLINE X 22 mm.  
Flow Rate 0.80, 1.10, 1.60, 2.20, 2.80 l/h  
W.T 0.15 mm W.T 6 mil
62. STREAMLINE X 22 mm.  
Flow Rate 0.80, 1.10, 1.60, 2.20, 2.80 l/h  
W.T 0.18 mm W.T 7 mil
63. STREAMLINE X 22 mm.  
Flow Rate 0.72, 1.05, 1.60, 2.20, 2.80 l/h  
W.T 0.20 mm W.T 8 mil

**This license is valid until 31/12/2020**

Date of License : 01/01/2020



R.N 513769091

Dr. Gilad Golub  
CEO



# היתר מספר 7421 לסמן מצרך בתו תקן

מכון התקנים הישראלי, בתוקף סמכותו לפי סעיף 11(ב) לחוק התקנים התשי"ג 1953 מעניק בזה ל:

## נטפים בע"מ

ד.ג. חפר, קיבוץ מגל, מגל, ישראל

את הרשות לסמן בתו תקן את המצרכים שחל עליהם התקן שלהלן:

**ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה**

רשימת דגמים מצורפת

מצרכים אלה מיוצרים לפי דרישות התקן הישראלי ת"י 1642 מהדורה מאי 2005

היתר זה ניתן בכפיפות לתנאים שבתקנות התקנים (תו-תקן וסימן השגחה), התשמ"ב 1982 ולתנאים שהחליטה עליהם ועדת ההיתרים, המהווים חלק בלתי נפרד מהיתר זה. היתר זה אינו גורע מכל חובה, או הוראה אחרת, המוטלת על פי דין על המצרכים הנ"ל. ההיתר הוא רכוש מת"י. לברור תוקף ההיתר ניתן לסרוק את הברקוד, או להיכנס לאתר מכון התקנים הישראלי [www.sii.org.il](http://www.sii.org.il)

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 1 מתוך 10



# נספח א' להיתר: 7421

## מפעל: נטפים בע"מ

**מצרכים:** ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

### דגמים:

- |    |  |
|----|--|
| 1. | TYPHOON PLUS HT 16080<br>ספיקה נומינלית 0.80, 1.10, 1.65, 2.70 ל/ש<br>קטגוריה A חד עונתי |
| 2. | TYPHOON PLUS HT 16100<br>ספיקה נומינלית 0.80, 1.10, 1.60, 2.70 ל/ש<br>קטגוריה A רב עונתי |
| 3. | TYPHOON PLUS HT 16125<br>ספיקה נומינלית 0.80, 1.10, 1.60, 2.70 ל/ש<br>קטגוריה A רב עונתי |
| 4. | TYPHOON PLUS HT 16150<br>ספיקה נומינלית 0.80, 1.05, 1.65, 2.70 ל/ש<br>קטגוריה A רב עונתי |
| 5. | TYPHOON PLUS HT 22080<br>ספיקה נומינלית 0.80, 1.10, 1.65, 2.70 ל/ש<br>קטגוריה A חד עונתי |
| 6. | TYPHOON PLUS HT 22100<br>ספיקה נומינלית 0.80, 1.10, 1.60, 2.70 ל/ש<br>קטגוריה A רב עונתי |



מכון התקנים הישראלי

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 2 מתוך 10



מכון התקנים הישראלי  
חיים לבנן 42, תל-אביב

# נספח א' להיתר: 7421

## מפעל: נטפים בע"מ

**מצרכים:** ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

TYPHOON PLUS HT 22135	.7
ספיקה נומינלית 0.80, 1.05, 1.65, 2.70 ל/ש	
קטגוריה A רב עונתי	
TYPHOON PLUS HT 22150	.8
ספיקה נומינלית 0.80, 1.05, 1.65, 2.70 ל/ש	
קטגוריה A רב עונתי	
TYPHOON PLUS HT 25135	.9
ספיקה נומינלית 0.80, 1.05, 1.65, 2.70 ל/ש	
קטגוריה A רב עונתי	
TYPHOON PLUS HT 25150	.10
ספיקה נומינלית 0.80, 1.05, 1.65, 2.70 ל/ש	
קטגוריה A רב עונתי	
סטרימליין 16-ספיקה נומינלית 2.1 ל/ש	.11
סטרימליין 40-ספיקה נומ. 0.72, 1.05, 1.60, 2.1 ל/ש	.12
קטגוריה A חד עונתי	
סטרימליין 60-ספיקה נומ. 0.72, 1.05, 1.60, 2.1 ל/ש	.13
קטגוריה A חד עונתי	
סטרימליין 80-ספיקה נומ. 0.72, 1.05, 1.60, 2.1 ל/ש	.14
קטגוריה A חד עונתי	
סטרימליין 100-ספיקה נומ. 0.72, 1.05, 1.60, 2.1 ל/ש	.15
קטגוריה A רב עונתי	

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 3 מתוך 10



מכון התקנים הישראלי  
חיים לבנן 42, תל-אביב

# נספח א' להיתר: 7421

## מפעל: נטפים בע"מ

**מצרכים:** ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

16. סטרימליין 125-ספיקה נומ. 0.72, 1.05, 1.60, 2.1 ל/ש  
קטגוריה A רב עונתי
17. סטרימליין 150-ספיקה נומ. 0.72, 1.05, 1.60, 2.1 ל/ש  
קטגוריה A רב עונתי
18. מיקרודריפ-ספיקה נומינלית 1.90 ל/ש קטגוריה A רב  
עונתי
19. לנדליין 8-ספיקה נומינלית 1.90 ל/ש קטגוריה A רב  
עונתי
20. דריפליין 2012-ספיקה נומינלית 1.20, 1.90, 2.90 ל/ש  
קטגוריה A רב עונתי
21. דריפליין 2012/L-ספיקה נומינלית 1.20, 1.90, 2.90  
ל/ש קטגוריה A רב עונתי
22. דריפליין 2000-ספיקה נומינלית 1.30, 2.00, 3.00 ל/ש  
קטגוריה A רב עונתי
23. דריפליין 2025-ספיקה נומינלית 1.20, 1.80, 2.90 ל/ש  
קטגוריה A רב עונתי
24. סטרימליין פלוס קוטר 12 מ"מ, עובי דופן 0.15 מ"מ (6 מיל  
ספיקה 0.80, 1.10, 1.60, 2.20, 2.80 ל.ש, חד עונתי
25. סטרימליין פלוס קוטר 12 מ"מ, עובי דופן 0.20 מ"מ (8 מיל  
ספיקה 0.80, 1.10, 1.60, 2.20, 2.80 ל.ש, חד עונתי

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 4 מתוך 10



# נספח א' להיתר: 7421

## מפעל: נטפים בע"מ

**מצרכים:** ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

26.	סטרימלין פלוס קוטר 16 מ"מ, עובי דופן 0.14 מ"מ (5.5 מיל) ספיקה 0.80, 1.10, 1.60, 2.20, 2.80 ל.ש, חד עונתי
27.	סטרימלין פלוס קוטר 16 מ"מ, עובי דופן 0.15 מ"מ (6 מיל) ספיקה 0.80, 1.10, 1.60, 2.20, 2.80 ל.ש, חד עונתי
28.	סטרימלין פלוס קוטר 16 מ"מ, עובי דופן 0.20 מ"מ (8 מיל) ספיקה 0.72, 1.05, 1.60, 2.10, 2.80 ל.ש, חד עונתי
29.	סטרימלין פלוס קוטר 16 מ"מ, עובי דופן 0.25 מ"מ (10 מיל) ספיקה 0.72, 1.05, 1.60, 2.10, 2.80 ל.ש, רב עונתי
30.	סטרימלין פלוס קוטר 16 מ"מ, עובי דופן 0.31 מ"מ (12.5 מיל) ספיקה 0.72, 1.05, 1.60, 2.10, 2.80 ל.ש, רב עונתי
31.	סטרימלין פלוס קוטר 16 מ"מ, עובי דופן 0.38 מ"מ (15 מיל) ספיקה 0.72, 1.05, 1.60, 2.10, 2.80 ל.ש, חד עונתי
32.	סטרימלין פלוס קוטר 22 מ"מ, עובי דופן 0.15 מ"מ (6 מיל) ספיקה 0.80, 1.20, 1.60, 2.20, 2.80 ל.ש, חד עונתי
33.	סטרימלין פלוס קוטר 22 מ"מ, עובי דופן 0.18 מ"מ (7 מיל) ספיקה 0.80, 1.20, 1.60, 2.20, 2.80 ל.ש, חד עונתי
34.	סטרימלין פלוס קוטר 22 מ"מ, עובי דופן 0.20 מ"מ (8 מיל) ספיקה 0.80, 1.20, 1.60, 2.20, 2.80 ל.ש, רב עונתי

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 5 מתוך 10



ת"א-42, תל-אביב



# נספח א' להיתר: 7421

## מפעל: נטפים בע"מ

**מצרכים:** ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

TYPHOON PLUS 12	.35
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.20 MM W.T 8 M/L	
TYPHOON PLUS 12	.36
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.25 MM W.T 10 M/L	
TYPHOON PLUS 12	.37
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.31 MM W.T 12.5 M/L	
TYPHOON PLUS 12	.38
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.34 MM W.T 13.5 M/L	
TYPHOON PLUS 12	.39
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.38 MM W.T 15 M/L	
TYPHOON PLUS 16	.40
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.20 MM W.T 8.00 M/L	
TYPHOON PLUS 16	.41
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.25 MM W.T 10.0 M/L	

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 6 מתוך 10



מכון התקנים הישראלי  
חיים לבנן 42, תל-אביב

# נספח א' להיתר: 7421

## מפעל: נטפים בע"מ

**מצרכים:** ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

TYPHOON PLUS 16	.42
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.31 MM W.T 12.5 M/L	
TYPHOON PLUS 16	.43
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.34 MM W.T 13.5 M/L	
TYPHOON PLUS 16	.44
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.38 MM W.T 15.0 M/L	
TYPHOON PLUS 22	.45
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.20 MM W.T 8.00 M/L	
TYPHOON PLUS 22	.46
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.25 MM W.T 10.0 M/L	
TYPHOON PLUS 22	.47
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.31 MM W.T 12.5 M/L	
TYPHOON PLUS 22	.48
ספיקה נומינלית 0.50, 0.70, 1.00, 1.60, 2.20 ל/ש W.T 0.34 MM W.T 13.5 M/L	

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 7 מתוך 10



# נספח א' להיתר: 7421

## מפעל: נטפים בע"מ

**מצרכים:** ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

TYPHOON PLUS 22	.49
ספיקה נומינלית 2.20 , 1.60 , 1.00 , 0.70 , 0.50 ל/ש	
W.T 0.38 MM W.T 15.0 M/L	
TYPHOON PLUS 25	.50
ספיקה נומינלית 2.20 , 1.60 , 1.00 , 0.70 , 0.50 ל/ש	
W.T 0.20 MM W.T 8.00 M/L	
TYPHOON PLUS 25	.51
ספיקה נומינלית 2.20 , 1.60 , 1.00 , 0.70 , 0.50 ל/ש	
W.T 0.25 MM W.T 10.0 M/L	
TYPHOON PLUS 25	.52
ספיקה נומינלית 2.20 , 1.60 , 1.00 , 0.70 , 0.50 ל/ש	
W.T 0.31 MM W.T 12.5 M/L	
TYPHOON PLUS 25	.53
ספיקה נומינלית 2.20 , 1.60 , 1.00 , 0.70 , 0.50 ל/ש	
W.T 0.34 MM W.T 13.5 M/L	
TYPHOON PLUS 25	.54
ספיקה נומינלית 2.20 , 1.60 , 1.00 , 0.70 , 0.50 ל/ש	
W.T 0.38 MM W.T 15.0 M/L	
STREAMLINE X 12 MM	.55
ספיקה נומינלית 2.80 , 2.20 , 1.60 , 1.10 , 0.80 ל/ש	
W.T 0.15 MM. W.T. 6 MIL	

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 8 מתוך 10



מכון התקנים הישראלי  
חיים לבנן 42, תל-אביב

# נספח א' להיתר: 7421

## מפעל: נטפים בע"מ

**מצרכים:** ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

STREAMLINE X 12 MM .56
ספיקה נומינלי 2.80 ,2.20 ,1.60 ,1.05 ,0.72 ל/ש
W.T 0.20 MM. W.T. 8 MIL
STREAMLINE X 16 MM .57
ספיקה נומינלי 2.80 ,2.20 ,1.60 ,1.10 ,0.80 ל/ש
W.T 0.13 MM. W.T. 5 MIL
STREAMLINE X 16 MM .58
ספיקה נומינלי 2.80 ,2.20 ,1.60 ,1.10 ,0.80 ל/ש
W.T 0.15 MM. W.T. 6 MIL
STREAMLINE X 16 MM .59
ספיקה נומינלי 2.80 ,2.20 ,1.60 ,1.05 ,0.72 ל/ש
W.T 0.20 MM. W.T. 8 MIL
STREAMLINE X 22 MM .60
ספיקה נומינלי 2.80 ,2.20 ,1.60 ,1.10 ,0.80 ל/ש
W.T 0.12 MM. W.T. 4.5 MIL
STREAMLINE X 22 MM .61
ספיקה נומינלי 2.80 ,2.20 ,1.60 ,1.10 ,0.80 ל/ש
W.T 0.15 MM. W.T. 6 MIL
STREAMLINE X 22 MM .62
ספיקה נומינלי 2.80 ,2.20 ,1.60 ,1.10 ,0.80 ל/ש
W.T 0.18 MM. W.T. 7 MIL

**תוקף ההיתר עד יום 31/12/2020**

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 9 מתוך 10



נספח א' להיתר: 7421

מפעל: נטפים בע"מ

מצרכים: ציוד חקלאי להשקיה- טפטפות וצינורות טפטוף- דרישות ושיטות בדיקה

STREAMLINE X 22 MM .63

ספיקה נומינלי 2.80, 2.20, 1.60, 1.05, 0.72 ל/ש  
W.T 0.20 MM. W.T. 8 MIL



תוקף ההיתר עד יום 31/12/2020

  
ד"ר גלעד גולוב  
מנכ"ל



ח.פ. 513769091

תחילת תוקף היתר: 01/01/2020

עמוד 10 מתוך 10

